ELSEVIER

Hearing Research 141 (2000) 243–244

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 141

Alam, S.A., Ikeda, K., Oshima, T., Suzuki, M., Kawase, T., Kikuchi, T. and Takasaka, T.
Cisplatin-induced apoptotic cell death in Mongolian gerbil cochlea (141) 28
Alosi, J.A., see Roberson, D.W. (141) 155
Alosi, J.A., see Roberson, D.W. (141) 165
Arnold, W., see Lamm, K. (141) 199
Atencio, C.A., see Yoshida, N. (141) 97

Banks, J.R., see Todd, N.P.M. (141) 180
Bauer, E.E., Klug, A. and Pollak, G.D.
Features of contralaterally evoked inhibition in the inferior colliculus (141) 80
Belén Elgoyhen, A., see Katz, E. (141) 117
Brichta, A.M., see Dailey, S.H. (141) 51
Burgess, B.J., see White, J.A. (141) 12

Carlyon, R.P., Geurts, L. and Wouters, J.
Detection of small across-channel timing differences by cochlear implantees (141) 140
Cody, F.W.J., see Todd, N.P.M. (141) 180
Cotanche, D.A., see Roberson, D.W. (141) 155
Cotanche, D.A., see Roberson, D.W. (141) 165

D'Agostino, R., see Gates, G.A. (141) 220
Dailey, S.H., Wackym, P.A., Brichta, A.M., Gannon, P.J. and Popper, P.
Topographic distribution of nicotinic acetylcholine receptors in the cristae of a turtle (141) 51
Dammeijer, P.F.M., van Mameren, H., van Dijk, P., Moorman, A.F.M., Habets, P., Manni, J.J. and Drukker, J.
Stapedius muscle fibre composition in the rat (141) 169
de Ribaupierre, F., see Zine, A. (141) 19
Drukker, J., see Dammeijer, P.F.M. (141) 169

Edds-Walton, P.L. and Popper, A.N.
Dendritic arbors on the saccule and lagena in the ear of the goldfish, *Carassius auratus* (141) 229
Ehret, G. and Schreiner, C.E.
Regional variations of noise-induced changes in operating range in cat AI (141) 107
Ekvall, L., see Rask-Andersen, H. (141) 129

Gannon, P.J., see Dailey, S.H. (141) 51
Gates, G.A., Schmid, P., Kujawa, S.G., Nam, B.-h. and D'Agostino, R.
Longitudinal threshold changes in older men with audiometric notches (141) 220
Geurts, L., see Carlyon, R.P. (141) 140

Habets, P., see Dammeijer, P.F.M. (141) 169
Hall, R.D., see White, J.A. (141) 12
Heinemann, S.F., see Katz, E. (141) 117
Hequembourg, S.J., see Yoshida, N. (141) 97

Ikeda, K., see Alam, S.A. (141) 28
Illing, R.-B., see Rask-Andersen, H. (141) 1

John, M.S. and Picton, T.W.
Human auditory steady-state responses to amplitude-modulated tones: phase and latency measurements (141) 57

Katz, E., Verbitsky, M., Rothlin, C.V., Vetter, D.E., Heinemann, S.F. and Belén Elgoyhen, A.
High calcium permeability and calcium block of the α9 nicotinic acetylcholine receptor (141) 117
Kawase, T., see Alam, S.A. (141) 28
Kikuchi, T., see Alam, S.A. (141) 28
Kinnefors, A., see Rask-Andersen, H. (141) 1
Klug, A., see Bauer, E.E. (141) 80
Kujawa, S.G., see Gates, G.A. (141) 220

Lamm, K. and Arnold, W.
The effect of blood flow promoting drugs on cochlear blood flow, perilymphatic pO_2 and auditory function in the normal and noise-damaged hypoxic and ischemic guinea pig inner ear (141) 199
Liberman, M.C., see Yoshida, N. (141) 97
Lyon, M.J. and Payman, R.N.
Comparison of the vascular innervation of the rat cochlea and vestibular system (141) 189

Manni, J.J., see Dammeijer, P.F.M. (141) 169
Messana, E.P., see Roberson, D.W. (141) 155
Messana, E.P., see Roberson, D.W. (141) 165
Moorman, A.F.M., see Dammeijer, P.F.M. (141) 169

Nadol, J.B., see White, J.A. (141) 12
Nam, B.-h., see Gates, G.A. (141) 220
Nedder, A.P., see Roberson, D.W. (141) 165
Nyffeler, M., see Zine, A. (141) 19

Oshima, T., see Alam, S.A. (141) 28

Payman, R.N., see Lyon, M.J. (141) 189
Picton, T.W., see John, M.S. (141) 57
Pollak, G.D., see Bauer, E.E. (141) 80
Popper, A.N., see Edds-Walton, P.L. (141) 229
Popper, P., see Dailey, S.H. (141) 51

Rask-Andersen, H., Tylstedt, S., Kinnefors, A. and Illing, R.-B.
Synapses on human spiral ganglion cells: a transmission electron microscopy and immunohistochemical study (141) 1
Rask-Andersen, H., Ekvall, L., Scholtz, A. and Schrott-Fischer, A.
Structural/audiometric correlations in a human inner ear with noise-induced hearing loss (141) 129
Roberson, D.W., Alosi, J.A., Messana, E.P. and Cotanche, D.A.
Effect of violation of the labyrinth on the sensory epithelium in the chick cochlea (141) 155
Roberson, D.W., Alosi, J.A., Messana, E.P., Nedder, A.P. and Cotanche,

PII: S0378-5955(00)00031-9

D.A.
Endotracheal isoflurane anesthesia for chick auditory surgery (141) 165
Rosowski, J.J., see Yoshida, N. (141) 97
Rothlin, C.V., see Katz, E. (141) 117

Schmid, P., see Gates, G.A. (141) 220
Scholtz, A., see Rask-Andersen, H. (141) 129
Schreiner, C.E., see Ehret, G. (141) 107
Schrott-Fischer, A., see Rask-Andersen, H. (141) 129
Shatz, L.F.
The effect of hair bundle shape on hair bundle hydrodynamics of inner ear hair cells at low and high frequencies (141) 39
Suzuki, M., see Alam, S.A. (141) 28

Takasaka, T., see Alam, S.A. (141) 28
Todd, N.P.M., Cody, F.W.J. and Banks, J.R.
A saccular origin of frequency tuning in myogenic vestibular evoked potentials?: implications for human responses to loud sounds (141) 180
Tylstedt, S., see Rask-Andersen, H. (141) 1

van Dijk, P., see Dammeijer, P.F.M. (141) 169
van Mameren, H., see Dammeijer, P.F.M. (141) 169
Verbitsky, M., see Katz, E. (141) 117
Vetter, D.E., see Katz, E. (141) 117

Wackym, P.A., see Dailey, S.H. (141) 51
White, J.A., Burgess, B.J., Hall, R.D. and Nadol, J.B.
Pattern of degeneration of the spiral ganglion cell and its processes in the C57BL/6J mouse (141) 12
Wouters, J., see Carlyon, R.P. (141) 140

Yoshida, N., Hequembourg, S.J., Atencio, C.A., Rosowski, J.J. and Liberman, M.C.
Acoustic injury in mice: 129/SvEv is exceptionally resistant to noise-induced hearing loss (141) 97

Zine, A., Nyffeler, M. and de Ribaupierre, F.
Spatial expression patterns of epidermal growth factor receptor gene transcripts in the postnatal mammalian cochlea (141) 19

ELSEVIER

Hearing Research 141 (2000) 245–249

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 141

Acetylcholine
Efferent; Nicotinic; Receptor; Vestibular (Dailey, S.H. (141) 51)

Acoustic nerve
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Acoustic sensitivity
Sacculus; Vestibulo-spinal tract; Sternocleidomastoid; Frequency tuning (Todd, N.P.M. (141) 180)

Across-channel timing
Cochlear implant; Phase effect (Carlyon, R.P. (141) 140)

Age-related hearing loss
Cochlea; Noise-induced hearing loss (Yoshida, N. (141) 97)

Aging
Hearing; Noise damage (Gates, G.A. (141) 220)

Anesthesia
Isoflurane; Surgery; Chick (Roberson, D.W. (141) 165)

Apoptosis
TUNEL; Hoechst 33342; Bax; Bcl-2; Distortion product otoacoustic emission; Endocochlear potential (Alam, S.A. (141) 28)

Apparent latency
Auditory evoked potential; Steady-state response; Phase; Travelling wave (John, M.S. (141) 57)

Auditory
Cobalt label; Fish; Innervation (Edds-Walton, P.L. (141) 229)

Auditory brain stem
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Auditory cortex
Dynamic range; Noise masking; Response mapping (Ehret, G. (141) 107)

Auditory evoked potential
Steady-state response; Apparent latency; Phase; Travelling wave (John, M.S. (141) 57)

Bax
TUNEL; Hoechst 33342; Apoptosis; Bcl-2; Distortion product otoacoustic emission; Endocochlear potential (Alam, S.A. (141) 28)

Bcl-2
TUNEL; Hoechst 33342; Apoptosis; Bax; Distortion product otoacoustic emission; Endocochlear potential (Alam, S.A. (141) 28)

Betahistine
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Bicuculline
Inferior colliculus; Inhibition; Iontophoresis; Strychnine; Glutamate (Bauer, E.E. (141) 80)

Blood flow
Immunohistochemistry; Vestibular; Cochlear; Microcirculation (Lyon, M.J. (141) 189)

C57BL/6J mouse
Neural degeneration; Spiral ganglion; Deafness (White, J.A. (141) 12)

Ca^{2+} permeability
Nicotinic receptor; Outer hair cell; Olivocochlear efferent synapse; Voltage-dependent blockage; Neurotransmitter receptor channel; Ligand-gated channel (Katz, E. (141) 117)

Chick
Hair cell; Regeneration; Intralabyrinthine infusion; Gentamicin (Roberson, D.W. (141) 155)

Isoflurane; Anesthesia; Surgery (Roberson, D.W. (141) 165)

Cobalt label
Auditory; Fish; Innervation (Edds-Walton, P.L. (141) 229)

Cochlea
Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic

PII: S0378-5955(00)00032-0

nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Hair cell; Hydrodynamics; Spheroid; Hair bundle (Shatz, L.F. (141) 39)

Age-related hearing loss; Noise-induced hearing loss (Yoshida, N. (141) 97)

Cochlear
Immunohistochemistry; Vestibular; Microcirculation; Blood flow (Lyon, M.J. (141) 189)

Cochlear blood flow
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Cochlear implant
Across-channel timing; Phase effect (Carlyon, R.P. (141) 140)

Cochlear microphonic potential
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Compound action potential
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Deafness
Neural degeneration; Spiral ganglion; C57BL/6J mouse (White, J.A. (141) 12)

Distortion product otoacoustic emission
TUNEL; Hoechst 33342; Apoptosis; Bax; Bcl-2; Endocochlear potential (Alam, S.A. (141) 28)

Drug effect
Cochlea; Hearing loss, noise-induced; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Dynamic range
Auditory cortex; Noise masking; Response mapping (Ehret, G. (141) 107)

Efferent
Acetylcholine; Nicotinic; Receptor; Vestibular (Dailey, S.H. (141) 51)

Electrocochleography
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Electron microscopy
Spiral ganglion; Inner ear; Synaptophysin; Human (Rask-Andersen, H. (141) 1)

Endocochlear potential
TUNEL; Hoechst 33342; Apoptosis; Bax; Bcl-2; Distortion product otoacoustic emission (Alam, S.A. (141) 28)

Epidermal growth factor receptor
Reverse transcriptase-polymerase chain reaction; Organ of Corti; In situ hybridization; Rat (Zine, A. (141) 19)

Evoked potential
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Fish
Auditory; Cobalt label; Innervation (Edds-Walton, P.L. (141) 229)

Frequency tuning
Sacculus; Vestibulo-spinal tract; Sternocleidomastoid; Acoustic sensitivity (Todd, N.P.M. (141) 180)

Gentamicin
Hair cell; Regeneration; Intralabyrinthine infusion; Chick (Roberson, D.W. (141) 155)

Ginkgo biloba
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Glutamate
Inferior colliculus; Inhibition; Iontophoresis; Bicuculline; Strychnine (Bauer, E.E. (141) 80)

Guinea pig
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia (Lamm, K. (141) 199)

Hair bundle
Cochlea; Hair cell; Hydrodynamics; Spheroid (Shatz, L.F. (141) 39)

Hair cell
Noise; Human cochlea; Transmission electron microscopy (Rask-Andersen, H. (141) 129)

Regeneration; Intralabyrinthine infusion; Gentamicin; Chick (Roberson, D.W. (141) 155)

Cochlea; Hydrodynamics; Spheroid; Hair bundle (Shatz, L.F. (141) 39)

Hearing
Noise damage; Aging (Gates, G.A. (141) 220)

Hearing loss, noise-induced
Cochlea; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Hemodilution
Cochlea; Hearing loss, noise-induced; Drug effect; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Hoechst 33342
TUNEL; Apoptosis; Bax; Bcl-2; Distortion product otoacoustic emission; Endocochlear potential (Alam, S.A. (141) 28)

Human
Spiral ganglion; Inner ear; Electron microscopy; Synaptophysin (Rask-Andersen, H. (141) 1)

Human cochlea
Noise; Transmission electron microscopy; Hair cell (Rask-Andersen, H. (141) 129)

Hydrodynamics
Cochlea; Hair cell; Spheroid; Hair bundle (Shatz, L.F. (141) 39)

Hydroxyethyl starch
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Hypoxia
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Ischemia; Guinea pig (Lamm, K. (141) 199)

Immunohistochemistry
Vestibular; Cochlear; Microcirculation; Blood flow (Lyon, M.J. (141) 189)

In situ hybridization
Reverse transcriptase-polymerase chain reaction; Organ of Corti; Epidermal growth factor receptor; Rat (Zine, A. (141) 19)

Inferior colliculus
Inhibition; Iontophoresis; Bicuculline; Strychnine; Glutamate (Bauer, E.E. (141) 80)

Inhibition
Inferior colliculus; Iontophoresis; Bicuculline; Strychnine; Glutamate (Bauer, E.E. (141) 80)

Inner ear
Spiral ganglion; Electron microscopy; Synaptophysin; Human (Rask-Andersen, H. (141) 1)

Innervation
Auditory; Cobalt label; Fish (Edds-Walton, P.L. (141) 229)

Intralabyrinthine infusion
Hair cell; Regeneration; Gentamicin; Chick (Roberson, D.W. (141) 155)

Iontophoresis
Inferior colliculus; Inhibition; Bicuculline; Strychnine; Glutamate (Bauer, E.E. (141) 80)

Ischemia
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Guinea pig (Lamm, K. (141) 199)

Isoflurane
Anesthesia; Surgery; Chick (Roberson, D.W. (141) 165)

Laser Doppler flowmetry
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Ligand-gated channel
Nicotinic receptor; Outer hair cell; Olivocochlear efferent synapse; Ca^{2+} permeability; Voltage-dependent blockage; Neurotransmitter receptor channel (Katz, E. (141) 117)

Microcirculation
Immunohistochemistry; Vestibular; Cochlear; Blood flow (Lyon, M.J. (141) 189)

Middle ear muscle
Stapedius muscle; Myosin ATPase lability; Myosin heavy chain; Rat (Dammeijer, P.F.M. (141) 169)

Myosin ATPase lability
Stapedius muscle; Myosin heavy chain; Middle ear muscle; Rat (Dammeijer, P.F.M. (141) 169)

Myosin heavy chain
Stapedius muscle; Myosin ATPase lability; Middle ear muscle; Rat (Dammeijer, P.F.M. (141) 169)

Naftidrofuryl
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Neural degeneration
Spiral ganglion; C57BL/6J mouse; Deafness (White, J.A. (141) 12)

Neurotransmitter receptor channel
Nicotinic receptor; Outer hair cell; Olivocochlear efferent synapse; Ca^{2+} permeability; Voltage-dependent blockage; Ligand-gated channel (Katz, E. (141) 117)

Nicotinic
Acetylcholine; Efferent; Receptor; Vestibular (Dailey, S.H. (141) 51)

Nicotinic receptor
Outer hair cell; Olivocochlear efferent synapse; Ca^{2+} permeability; Voltage-dependent blockage; Neurotransmitter receptor channel; Ligand-gated channel (Katz, E. (141) 117)

Noise
Human cochlea; Transmission electron microscopy; Hair cell (Rask-Andersen, H. (141) 129)

Noise damage
Hearing; Aging (Gates, G.A. (141) 220)

Noise masking
Auditory cortex; Dynamic range; Response mapping (Ehret, G. (141) 107)

Noise-induced hearing loss
Cochlea; Age-related hearing loss (Yoshida, N. (141) 97)

Olivocochlear efferent synapse
Nicotinic receptor; Outer hair cell; Ca^{2+} permeability; Voltage-dependent blockage; Neurotransmitter receptor channel; Ligand-gated channel (Katz, E. (141) 117)

Organ of Corti
Reverse transcriptase-polymerase chain reaction; Epidermal growth factor receptor; In situ hybridization; Rat (Zine, A. (141) 19)

Outer hair cell
Nicotinic receptor; Olivocochlear efferent synapse; Ca^{2+} permeability; Voltage-dependent blockage; Neurotransmitter receptor channel; Ligand-gated channel (Katz, E. (141) 117)

Oxygen
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Pentoxifylline
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Perilymph
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Vasodilator; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Phase
Auditory evoked potential; Steady-state response; Apparent latency; Travelling wave (John, M.S. (141) 57)

Phase effect
Cochlear implant; Across-channel timing (Carlyon, R.P. (141) 140)

Rat
Stapedius muscle; Myosin ATPase lability; Myosin heavy chain; Middle ear muscle (Dammeijer, P.F.M. (141) 169)

Reverse transcriptase-polymerase chain reaction; Organ of Corti; Epidermal growth factor receptor; In situ hybridization (Zine, A. (141) 19)

Receptor
Acetylcholine; Efferent; Nicotinic; Vestibular (Dailey, S.H. (141) 51)

Regeneration
Hair cell; Intralabyrinthine infusion; Gentamicin; Chick (Roberson, D.W. (141) 155)

Response mapping
Auditory cortex; Dynamic range; Noise masking (Ehret, G. (141) 107)

Reverse transcriptase-polymerase chain reaction
Organ of Corti; Epidermal growth factor receptor; In situ hybridization; Rat (Zine, A. (141) 19)

Sacculus
Vestibulo-spinal tract; Sternocleidomastoid; Acoustic sensitivity; Frequency tuning (Todd, N.P.M. (141) 180)

Spheroid
Cochlea; Hair cell; Hydrodynamics; Hair bundle (Shatz, L.F. (141) 39)

Spiral ganglion
Inner ear; Electron microscopy; Synaptophysin; Human (Rask-Andersen, H. (141) 1)

Neural degeneration; C57BL/6J mouse; Deafness (White, J.A. (141) 12)

Stapedius muscle
Myosin ATPase lability; Myosin heavy chain; Middle ear muscle; Rat (Dammeijer, P.F.M. (141) 169)

Steady-state response
Auditory evoked potential; Apparent latency; Phase; Travelling wave (John, M.S. (141) 57)

Sternocleidomastoid
Sacculus; Vestibulo-spinal tract; Acoustic sensitivity; Frequency tuning (Todd, N.P.M. (141) 180)

Strychnine
Inferior colliculus; Inhibition; Iontophoresis; Bicuculline; Glutamate (Bauer, E.E. (141) 80)

Surgery
Isoflurane; Anesthesia; Chick (Roberson, D.W. (141) 165)

Synaptophysin
Spiral ganglion; Inner ear; Electron microscopy; Human (Rask-Andersen, H. (141) 1)

Transmission electron microscopy
Noise; Human cochlea; Hair cell (Rask-Andersen, H. (141) 129)

Travelling wave
Auditory evoked potential; Steady-state response; Apparent latency; Phase (John, M.S. (141) 57)

TUNEL
Hoechst 33342; Apoptosis; Bax; Bcl-2; Distortion product otoacoustic emission; Endocochlear potential (Alam, S.A. (141) 28)

Vasodilator
Cochlea; Hearing loss, noise-induced; Drug effect; Hemodilution; Hydroxyethyl starch; Pentoxifylline; Ginkgo biloba; Betahistine; Naftidrofuryl; Evoked potential; Auditory brain stem; Electrocochleography; Cochlear microphonic potential; Compound action potential; Acoustic nerve; Cochlear blood flow; Laser Doppler flowmetry; Perilymph; Oxygen; Hypoxia; Ischemia; Guinea pig (Lamm, K. (141) 199)

Vestibular
Immunohistochemistry; Cochlear; Microcirculation; Blood flow (Lyon, M.J. (141) 189)

Acetylcholine; Efferent; Nicotinic; Receptor (Dailey, S.H. (141) 51)

Vestibulo-spinal tract
Sacculus; Sternocleidomastoid; Acoustic sensitivity; Frequency tuning (Todd, N.P.M. (141) 180)

Voltage-dependent blockage
Nicotinic receptor; Outer hair cell; Olivocochlear efferent synapse; Ca^{2+} permeability; Neurotransmitter receptor channel; Ligand-gated channel (Katz, E. (141) 117)